



1-1166.ST25

SEQUENCE LISTING

RECEIVED
AUG 0 9 2002
TECH CENTER 1600/2900
#18

<110> Peters, Stefan
Leipert, Dietmar
Park, John Edward
Lenter, Martin
Garin-Chesa, Pilar

<120> FAP-activated anti-tumor compounds

<130> 1/1166

<140> US 10/036,111

<141> 2001-11-09

<150> US 60/262,281

<151> 2001-01-17

<150> GB 0027551.1

<151> 2000-11-10

<160> 10

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> aminoalkanoyl or oligopeptidoyl group

<221> MOD_RES

<222> 1

<223> Xaa = imidazole

<221> BINDING

<222> 1

<223> Amino acid 1 is attached by a capping group from
benzoyloxycarbonyl, phenylacetyl,
phenylmethylsulfonyl, benzylaminocarbonyl,
pyridinyloxycarbonyl, pyridinylacetyl,
pyridinylmethylsulfonyl and
pyridylmethyldaminoacrbonyl

<221> VARIANT

<222> 2, 3, 4, 5, 6, 7

<223> Xaa = any amino acid and up to five can be missing

<400> 1

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Ala Gly
1 5

<210> 2

<211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> aminoalkanoyl or oligopeptidoyl group

<221> BINDING
 <222> 1
 <223> Amino acid 1 is attached by a capping group from
 benzoyloxycarbonyl, phenylacetyl,
 phenylmethylsulfonyl, benzylaminocarbonyl,
 pyridinyloxycarbonyl, pyridinylacetyl,
 pyridinylmethylsulfonyl and
 pyridylmethylaminocarbonyl

<221> VARIANT
 <222> 1, 2, 3, 4, 5, 6
 <223> Xaa = any amino acid and up to five can be missing

<221> MOD_RES
 <222> 2, 7
 <223> Xaa = imidazole

<400> 2
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Ala Gly
 1 5

<210> 3
 <211> 4

<212> PRT
 <213> Artificial Sequence

<220>
 <223> aminoalkanoyl or oligopeptidoyl group

<221> MOD_RES
 <222> 1
 <223> Xaa = thiazole and is attached by
 benzyloxycarbonyl

<221> BINDING
 <222> 4
 <223> Amino acid 4 is attached by OH

<400> 3
 Xaa Ala Gly Pro
 1

<210> 4
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> aminoalkanoyl or oligopeptidoyl group

 <221> MOD_RES
 <222> 1
 <223> Xaa = thiazole and is attached by pyridin-3-ylmethoxycarbonyl

 <221> BINDING
 <222> 4
 <223> Amino acid 4 is attached by OH

 <400> 4
 Xaa Ala Gly Pro
 1

 <210> 5
 <211> 4
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> aminoalkanoyl or oligopeptidoyl group

 <221> MOD_RES
 <222> 1
 <223> Xaa = thiazole and is attached by benzyloxycarbonyl

 <221> BINDING
 <222> 4
 <223> Amino acid 4 is attached by doxorubicin

 <400> 5
 Xaa Ala Gly Pro
 1

 <210> 6
 <211> 5
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> aminoalkanoyl or oligopeptidoyl group

 <221> MOD_RES
 <222> 1
 <223> Xaa = thiazole and is attached by benzyloxycarbonyl

 <221> MOD_RES
 <222> 5
 <223> Xaa = 7-amino-4-methyl-coumarin-acetic acid and is attached by OH

<400> 6

Xaa Ala Gly Pro Xaa

1

5

<210> 7

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> aminoalkanoyl or oligopeptidoyl group

<221> MOD_RES

<222> 1

<223> Xaa = imidazole and is attached by
benzyloxycarbonyl

<221> MOD_RES

<222> 5

<223> Xaa = 7-amino-4-methyl-coumarin-acetic acid

<400> 7

Xaa Ala Gly Pro Xaa

1

5

<210> 8

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> aminoalkanoyl or oligopeptidoyl group

<221> MOD_RES

<222> 1

<223> Xaa = thiazole and is attached by
benzyloxycarbonyl

<221> MOD_RES

<222> 5

<223> Xaa = 7-amino-4-methyl-coumarin-acetic acid

<400> 8

Xaa Ala Gly Pro Xaa

1

5

<210> 9

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> aminoalkanoyl or oligopeptidoyl group

<221> MOD_RES
<222> 1
<223> Xaa = thiazole and is attached by
benzyloxycarbonyl

<221> BINDING
<222> 4
<223> Amino acid 4 is attached by melphalan

<400> 9
Xaa Ala Gly Pro
1

<210> 10
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> aminoalkanoyl or oligopeptidoyl group

<221> MOD_RES
<222> 1
<223> Xaa = thiazole and is attached by
benzyloxycarbonyl

<221> BINDING
<222> 4
<223> Amino acid 4 is attached by OH

<400> 10
Xaa Ala Gly Pro
1